

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,216,651  
APPLICATION NO.: 09/863,234  
ISSUE DATE : May 15, 2007  
INVENTOR(S) : Argenta et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 22 line 5 . Insert --(c)-- before "a fluid trap".  
Col. 22 line 15 Replace "screen" with --porous material--.  
Col. 23 line 24 Replace "5" with --12--.  
Col. 25 line 37 Replace "Locating", with --locating--.  
Col. 25 line 44 Replace "v" with --vi--.  
Col. 25 line 46 Replace "vi" with --vii--.  
Col. 28 line 15 Replace "apparatus", with --appliance--.  
Col. 28 lines 15-16 Replace "1 and 3-6" with --1, 3, 6, and 7--.  
Col. 28 line 20 Replace "method" with --appliance--.  
Col. 28 line 23 Replace "and and" with --and--.  
Col. 28 line 25 Replace "appliance" with --apparatus--.

## MAILING ADDRESS OF SENDER (Please do not use customer number below):

Dann Dorfman Herrell and Skillman  
1601 Market St. Suite 2400  
Philadelphia, PA 19103

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Copy  
VT